






Office Address:
Anand Timber Mart B/h. Karnavati Hospital, Opp. Saijpur Tower, Saijpur Bogha, Naroda, Ahmedabad, Gujarat www.ambitionmica.com










Perfections not attainable but if we chase perfection we catch excellence



GET PERFECT CHOICE OF THE LAMINATE IN TO THE OUR NEW DIFFERENT COLLECTION

It's commitment that providing the quality and durability of our laminate for customer satisfaction of them desire home and office furniture. Latest collection of wooden figure. Fabric filling with suede. Matt and mirror gloss finish














705 MG LARCH WOOD

706 MG | LARCH WOOD



























710 MG | CANYON WALNUT

Pure and ethereal finish to invoke the aura of harmony and peace around




710 SF CANYON WALNUT





714 SF | CANYON WALNUT



714 MG | CANYON WALNUT





Design is not just what it looks and feels like design is how it works





















713 MG | JUNGLE WOOD













713 SF | JUNGLE WOOD

712 SF | NAINA TEAK





Gravity has a skilled workforce, which is well versed in the production

of high-quality laminate surfaces

711 MG | APPLE WOOD



711 SF | APPLE WOOD





721 SF APPLE WOOD



721 MG | APPLE WOOD



Feel the true essence of graciosus textures that make an amazing setting with the assistance eclectic designs
























716 SF | ASIAN MAPPLE





717 SF | BAVERIAN BEECH






719 SF | COACH WOOD











718 SF | NATURAL VENEER


FABRIC COLLECTION




618 SF | ROMAN FABRIC



617 SF CAMBRIC COTTON FABRIC



619 SF | ROMAN FABRIC



603 SF | FAB FABRIC



INDEX

No.	D.No.	Name	Pg. No.		No.	D.No.	Name	
01	705 MG	LARCH WOOD	03		17	721 SF	APPLE WOOD	
02	706 MG	LARCH WOOD	04		18	701 SF	NIAGRA OAK	
03	707 MG	CORK ASH	05		19	702 SF	NIAGRA OAK	
04	708 MG	CORK ASH	06		20	703 SF	NIAGRA OAK	
05	709 MG	BENGALI SHEESHAM	08		21	704 SF	NIAGRA OAK	
06	710 MG	CANYON WALNUT	09		22	716 SF	ASIAN MAPPLE	
07	710 SF	CANYON WALNUT	09		23	717 SF	BAVERIAN BEECH	
08	714 MG	CANYON WALNUT	10		24	715 SF	CANYON WALNUT	
09	714 SF	CANYON WALNUT	10		25	719 SF	COACH WOOD	
10	712 MG	NAINA TEAK	11		26	720 SF	COACH WOOD	
11	712 SF	NAINA TEAK	11		27	718 SF	NATURAL VENEER	
12	713 MG	JUNGLE WOOD	12		28	618 SF	ROMAN FABRIC	
13	713 SF	JUNGLE WOOD	12		29	619 SF	ROMAN FABRIC	
14	711 MG	APPLE WOOD	13		30	617 SF	CAMBRIC COTTON FABRIC	
15	711 SF	APPLE WOOD	13		31	603 SF	FAB FABRIC	
16	721 MG	APPLE WOOD	14					
Surface of Laminate Finish: MG (Mirror Gloss) / SE (Suede Finish)								

Surface of Laminate Finish: **MG** (Mirror Gloss) / **SF** (Suede Finish)

SPECIFICATION

HPL SPECIFICATIONS

Product Type : High Pressure Laminate Sheets (HPL)

Size Info : 96"x 48" - (8' x 4') Feet
Thickness : 0.80mm (±10% Allowed)
Surface Finish : Mirror Glossy, Suede Finish

Quality Standard : Printed on best design papers merged with craft paper, soaked in to purest chemicals

and raw material for better flexibility & durability.

Care & Maintenance: Cleaning would be carried out with a soft moist cloth and warmth solution.

Do not use detergents containing abrasive particles or excess soda.

TECHNICAL SPECIFICATION

TECHNICAL SPECIFICATION				
Property	Typical Value			
Appearance	No ABC Defect			
Surface Water Resistance (Cycle)	>350			
Boiling Water Resistance	N/A			
Thickness Increase (max)	12%			
Weight Increase (max)	10%			
High Temperature Resistance	Slight Effect			
Reagents 1 and 2	No Effect			
Reagents 3 and 4	Slight Effect			
Small Diameter Ball Resistance	20 N			
Dimensional MD (max)	0/b5			
CD (max)	0/b8			
Resistance to dry heat	Slight Change			
Resistance to Cigarette burn	Moderate Change			

LIMITED WARRANTY

Gravity warrants that, under normal use, the material and workmanship of Its products shall confirm to the standards set forth on the applicable technical datasheet for period of twelve (12) months from the date of sale to first consumer purchaser. Dealers and distributors are provided with the technical data sheet, which contain specific standards of performance for the product. In the event that the product does not perform as warranted, the purchaser's sole remedy shall be limited to repair or replacement of all or any part of the product, which is defective, at the manufacturer's sole discretion. This warranty is not transferable, and expires upon resale or transfer by the first consumer purchaser.

This warranty shall not apply to defects or damage arising from any of the following: Accidents, abuse or misuse, exposure to extreme temperature, improper fabrication or installation & improper maintenance.



NO CLAIM WILL BE ENTERTAINED FOR AIR BURBLES



NO CLAIM WILL BE ENTERTAINED FOR CRACKING ARISING FROM GROOVE OR L-SHAPE CUTTING